

DATE: September 14, 2018

DEPARTMENT OF GENERAL SERVICES  
BUREAU OF PRE-CONSTRUCTION  
1800 HERR STREETS  
HARRISBURG, PENNSYLVANIA

**ADDENDUM NO. 1**

on

**PROJECT NO. DGS C-0974-0009 PHASE 001**

**PROJECT TITLE - Erie Maritime Museum - U.S. Brig Niagara - Restoration**

**PROFESSIONAL:**

Tri-Coastal Marine, Inc.  
570 W. Cutting Boulevard  
Richmond, CA, 94804

**If you submitted a bid through e-Builder prior to this Addendum being issued, your bid has been discarded and you must re-submit your bid(s) through e-Builder prior to the bid opening date and time. Please see Section 4.C. of the Instruction to Bidder**

**GENERAL CHANGES – ALL CONTRACTS**

Item 1 - See attached responses.

**SPECIFICATION CHANGES – ALL CONTRACTS**

Item 1 - Add the following paragraph to Section 010400:

**1.6 LEAD PAINT**

A. All work is to be performed with the assumption that all painted surfaces are lead containing. Each Prime Contractor is responsible for following all required OSHA 1926.62 'Lead in Construction' standards when disturbing or impacting these painted surfaces during the course of the renovations, including but not limited to activities such as: cutting and patching, core drilling, penetration, anchoring, fastening, etc. The area(s) shall be visually clean upon completion of any of these activities.

1. Action Plan: Contractor(s) shall submit an Action Plan that conforms to Paragraph 1.6.A.1-3 herein for approval at the Initial Job Conference, which specifically outlines details of means and methods to be used for each dust-generating activity involving lead painted surfaces, erection of critical barriers and plastic sheeting for dust control, subsequent exposure assessment, personal protective equipment, hygiene and clean-up.
2. Contractor(s) shall utilize means and methods that preclude dust generation to complete work that disturbs/impacts lead-containing paint (i.e., paint stripper, HEPA-assisted drills, etc.).
3. Contractor(s) shall ensure areas beyond work area are not contaminated and shall immediately stop work and erect plastic sheeting to prevent the spread of dust, anytime means and methods inadvertently create dust.

Item 2 - Section 013100, Paragraph 1.3.B. - Delete item d.